

New Jersey Division of HIV/AIDS Services  
Persons Living with HIV/AIDS as of December 31, 2005  
Male NJ Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
AIDS-Any OI	3934	19	33	21	3967	19
AIDS-CD4 Only	7639	36	0	0	7639	36
HIV Only	9426	45	122	79	9548	45
Total	20999	100	155	100	21154	100

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl* Cases	%	Pediatric* Cases	%	Total Cases	%
<5	19	0	White, Not Hispanic	5209	25	18	12	5227	25
5-12	136	1	Black, Not Hispanic	10671	51	107	69	10778	51
13-19	200	1	Hispanic	4746	23	30	19	4776	23
20-29	941	4	Other/Unknown	373	2	0	0	373	2
30-39	4078	19	Total	20999	100	155	100	21154	100
40-49	8980	42							
50+	6800	32							
Unk.	0	0							
Total	21154	100							

4. Patient Group	Adult/Adolescent Modified Exposure Categories **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	6263	30	0	0	6263	30
Injection drug user (IDU)	6190	30	0	0	6190	30
MSM/IDU	843	4	0	0	843	4
Heterosexual contact***	5499	26	0	0	5499	26
Risk not reported/other****	1998	10	0	0	1998	10
Total	20793	100	0	0	20793	100

	Pediatric Modified Exposure Categories					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	337	93	0	0	337	93
Risk not reported/other****	24	7	0	0	24	7
Total	361	100	0	0	361	100

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\* Classification based on current age at the end of December 2005.

\*\* 206 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

\*\*\* Included in this category are persons with no other risk identified who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

\*\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of December 31, 2005  
Male NJ Residents

1. Disease Category	Adult/Adolescent*		Pediatric*		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	9641 ( 28)	8099 ( 84)	114 ( 28)	89 ( 78)	9755 ( 28)	8188 ( 84)
Other OI w/o PCP	9370 ( 27)	7497 ( 80)	267 ( 66)	163 ( 61)	9637 ( 28)	7660 ( 79)
KS Alone	702 ( 2)	565 ( 80)	0 ( 0)	0 ( .)	702 ( 2)	565 ( 80)
No Disease Listed	14566 ( 42)	6653 ( 46)	22 ( 5)	10 ( 45)	14588 ( 42)	6663 ( 46)
Total	34279 (100)	22814 ( 67)	403 (100)	262 ( 65)	34682 (100)	23076 ( 67)

2. Age *	Cases %		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	301	1	White, Not Hispanic	9883	29	58	14	9941	29
5-12	102	0	Black, Not Hispanic	17690	52	260	65	17950	52
13-19	126	0	Hispanic	6527	19	85	21	6612	19
20-29	4065	12	Other/Unknown	179	1	0	0	179	1
30-39	14903	43	-----	-----	---	-----	---	-----	---
40-49	10790	31	Total	34279	100	403	100	34682	100
Over 49	4395	13							
Unknown	0	0							
Total	34682	100							

4. Patient Group	Adult/Adolescent Modified Exposure Categories **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	9717	28	0	0	9717	28
Injection drug user (IDU)	15011	44	0	0	15011	44
MSM/IDU	1765	5	0	0	1765	5
Heterosexual contact***	5615	16	0	0	5615	16
Risk not reported/other****	2148	6	0	0	2148	6
Total	34256	100	0	0	34256	100

	Pediatric Modified Exposure Categories					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	380	89	0	0	380	89
Risk not reported/other****	46	11	0	0	46	11
Total	426	100	0	0	426	100

# indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of AIDS diagnosis.

\*\* 23 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with no other risk identified who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

\*\*\*\* Included in this category are persons with transmission categories of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of December 31, 2005  
Male NJ Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	545	534	98%
1985	634	609	96%
1986	1011	946	94%
1987	1424	1368	96%
1988	1552	1479	95%
1989	1981	1833	93%
1990	1939	1754	90%
1991	2124	1936	91%
1992	2606	2275	87%
1993	3525	2825	80%
1994	2847	2059	72%
1995	2647	1581	60%
1996	2212	1056	48%
1997	1628	758	47%
1998	1155	483	42%
1999	1210	434	36%
2000	1307	378	29%
2001	1147	288	25%
2002	1035	226	22%
2003	857	140	16%
2004	808	98	12%
2005	488	16	3%
-----	-----	-----	-----
Total	34682	23076	67%

New Jersey Division of HIV/AIDS Services

HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2005

Male NJ Residents

1. Age *	Cases		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	180	2	White, Not Hispanic	2620	23	25	12	2645	23
5-12	33	0	Black, Not Hispanic	5899	53	144	68	6043	53
13-19	179	2	Hispanic	2409	22	43	20	2452	21
20-29	2344	21	Other/Unknown	265	2	#	#	266	2
30-39	4497	39	-----	-----	---	-----	---	-----	---
40-49	3003	26	Total	11193	100	213	100	11406	100
Over 49	1170	10							
Unknown	0	0							
-----	-----	---							
Total	11406	100							

3. Patient Group	Adult/Adolescent Modified Exposure Categories **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	3156	28	0	0	3156	28
Injection drug user (IDU)	3534	32	0	0	3534	32
MSM/IDU	396	4	0	0	396	4
Heterosexual contact***	2804	25	0	0	2804	25
Risk not reported/other****	1304	12	0	0	1304	12
-----	-----	---	-----	---	-----	---
Total	11194	100	0	0	11194	100

	Pediatric Modified Exposure Categories					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	205	97	0	0	205	97
Risk not reported/other****	7	3	0	0	7	3
-----	-----	---	-----	---	-----	---
Total	212	100	0	0	212	100

\* Classification at time of first HIV+ test.

# indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\*\* 1 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

\*\*\* Included in this category are persons with no other risk identified who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

\*\*\*\* Included in this category are persons with transmission categories of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services  
HIV/AIDS Cases Reported as of December 31, 2005  
Male NJ Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	20892	46	402	63	21294	46
AIDS-CD4 Only	13369	29	19	3	13388	29
HIV Only	11193	25	213	34	11406	25
-----	-----	---	-----	---	-----	---
Total	45454	100	634	100	46088	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	510	1	White, Not Hispanic	12495	27	91	14	12586	27
5-12	124	0	Black, Not Hispanic	23581	52	412	65	23993	52
13-19	362	1	Hispanic	8934	20	130	21	9064	20
20-29	7647	17	Other/Unknown	444	1	#	#	445	1
30-39	19916	43	-----	-----	---	-----	---	-----	---
40-49	12506	27	Total	45454	100	634	100	46088	100
Over 49	5023	11							
Unknown	0	0							
-----	-----	---							
Total	46088	100							

4. Patient Group	Adult/Adolescent Modified Exposure Categories **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	12873	28	0	0	12873	28
Injection drug user (IDU)	18545	41	0	0	18545	41
MSM/IDU	2161	5	0	0	2161	5
Heterosexual contact***	8419	19	0	0	8419	19
Risk not reported/other****	3452	8	0	0	3452	8
-----	-----	---	-----	---	-----	---
Total	45450	100	0	0	45450	100

	Pediatric Modified Exposure Categories					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	585	92	0	0	585	92
Risk not reported/other****	53	8	0	0	53	8
-----	-----	---	-----	---	-----	---
Total	638	100	0	0	638	100

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of first HIV+/AIDS diagnosis.

\*\* 4 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with no other risk identified who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

\*\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
HIV/AIDS Cases Reported as of December 31, 2005  
Male NJ Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	628	583	93%
1985	863	787	91%
1986	1336	1186	89%
1987	1906	1715	90%
1988	2188	1922	88%
1989	2863	2419	84%
1990	3080	2467	80%
1991	3152	2433	77%
1992	4399	2672	61%
1993	3868	2273	59%
1994	3304	1813	55%
1995	2844	1273	45%
1996	2417	884	37%
1997	2045	633	31%
1998	1644	471	29%
1999	1571	401	26%
2000	1966	335	17%
2001	1571	257	16%
2002	1431	195	14%
2003	1225	124	10%
2004	1080	74	7%
2005	707	17	2%
-----	-----	-----	-----
Total	46088	24934	54%